Cruiser City User Guide

Go to English

Guide de l'utilisateur du Cruiser de ville

Aller au français

RAISE THE WILD
POUR L'AMOUR DE LA NATURE

WELCOME TO VEVOR

WELCOME TO VEVOR

We hope you enjoy your adventures with the VEVOR Cruiser Series Cooler and building the Cruiser Series review these instructions carefully before assembling the cooler for the first time.

IMPORTANT SAFETY TRUCK INSTRUCTIONS FOR CRUISER COOLER

⚠ WARNING

NEVER LEAVE CHILDREN UNATTENDED - FAILURE TO FOLLOW THIS WARNING COULD RESULT IN SERIOUS INJURY OR DEATH. FOLLOW ALL OPERATION AND SAFETY INSTRUCTIONS BEFORE OPERATION.

- Stay hydrated. Drink at least one quart (1L) of water per hour.
- Do not use alcohol or non-suitable for children under 18 years.
- Always use the restraint system.
- Do not operate the cooler while moving or skating. Ensure that all the locking devices are engaged before use.
- Do not use or remove the cover while in motion.
- Do not use the cooler on a slippery surface.
- Do not let your child play with this product.
- Do not let children sit on the cooler or climb on it.
- Do not use the cooler as a friendly dog and PET.
- The Wear Cooler series up to two children's fitness and sports equipment, please do not exceed the load limit.
- The Cooler is suitable from birth with optional harness recommended but not essential, or if parents feel it is necessary for their child's safety.
- Under injury, children must remain seated. Injuries can be caused by sudden stops or falls from the cooler.
- Do not exceed the maximum weight of the cooler.
- Maximum carrying capacity of each wide pocket is 5 kg (11 lbs).
- Please make sure the Cooler is in good condition before use.
- Do not make any modifications or modifications to the Cooler with products not supplied by the manufacturer, as this may cause instability or other hazards. Only use accessories and spare parts supplied by the manufacturer or approved by the manufacturer.
- The Cooler should not be used when skiing, ascending or descending stairs, or using escalators.
- Do not sit or stand on the side wall panels of the Cooler.
- Do not sit or stand on the folded seat backs of the Cooler.
- Harnesses are not a toy. Do not attempt to play with the harness.

THIS PRODUCT IS DESIGNED AND MANUFACTURED TO COMPLY WITH ASTM ISO STANDARD 8124-1:2018 SAFETY INSTRUCTIONS SPECIFICATION FOR CHIDREN AND STROLLERS.

The Cruiser Overview

The Cruiser has been crafted with the finest materials to ensure durability and longevity. The Cruiser's design incorporates ergonomic principles for optimal comfort and ease of use.

- Wide Protrusion Handle Grips
- Telescoping Handle Bar Mechanism
- Two Wide Wheels for Stability
- Two Rear Wheels for Ease of Mobility
- Safety Tether
- Adjustable Wheels
- Accessory Mounts
- Accessory Bolts With Plugs
- Two Wide Pockets
- Two Side Pockets
- Front Swivel Wheels
- Removable Cooler
- Removable Cover
- Handle Lock
- Wear Strap
- 4-Point Seat Harness
- Adjustable Seat Harness
- Wide Storage Pocket

Cleaning, Maintenance, and Check-Up

- Store the Cooler in a location that is out of direct sunlight and environmental elements. If the Cooler is left outdoors, it should be covered when not in use.

THE CRUISER COOLER

If the Cruiser chassis parts have been exposed to water, it is important to dry the chassis and wipe down the chassis with a dry cloth before storing the Cruiser.

- If the Cruiser has been exposed to sand, use a soft brush to gently brush sand from the Cruiser parts and then wipe down the chassis with a dry cloth. Sand and the components cycle hinder.
- Check the Cruiser's bolts and screws for tightness. Tighten any loosened bolts and screws using hex key. Wheels and accessories to complete, or the fasteners should be tightened.

Never use a power drill to tighten the bolts.

FRAME, SEATS, HARNESS CAPS, FENDERS AND WHEELS

Wipe with a damp cloth and mild soap and water, then dry thoroughly. DO NOT use solvents.

WHEEL BEARINGS

Wheel bearings are sealed and lubricated for life. Wheels, wheels and tires and replace or repair as needed.

- Check all wheels bolts to ensure that the bolts are correct and secure operation. Never continue to use the Cruiser if the wheels are loose or damaged.

CARE

- Do not use the Cruiser if the wheels should be used. It may be unsafe to use parts damaged or worn.
- Contact customer service for any repair or maintenance questions at hello@vevor.com

LIMITED WARRANTY

We will provide warranty service:

- Within one year from the date of the Cruiser first was manufacturing defects for a period of **3 years** from purchase date, subject to the terms and conditions with the operating instructions.

This warranty is not transferable and extends only to the original purchaser. Warranty claims must be accompanied with proof of purchase.

PLEASE RETAIN PROOF OF PURCHASE FOR THE WARRANTY PERIOD.

Warranty claims will be denied if the product is incorrectly assembled, improperly used or maintained, or if the product has been altered or improperly repaired or repaired with parts not supplied by the manufacturer or repaired with parts of the country of origin.

WARRANTY EXCLUSIONS

Normal wear and tear is not covered by warranty. Lion Sales reserves the right to exchange an item for a similar product if the product is out of stock or if the product model quite is discontinued or improved upon.

For full list of warranty details, visit qiooo.com

SETTING UP & USING THE CRUISER

STEP 1

OPEN THE COOLER FRAME

Pull up on handles release levers and swing handle bars to the upright position. Lock handle mechanism front and rear locks into the upright position.

STEP 2

SAFETY, SAFETY FIRSTING

When looking at the Cruiser from the end opposite the handle, the safety tether should be on the right side. Attach the safety tether to the right side of the frame. Lion reserves the right to exchange an item for a similar product if the product is out of stock or if the product model quite is discontinued or improved upon.

STEP 3

INSTALL FRONT SWIVEL WHEELS

Attach front wheels with you have a lock.

STEP 4

SET FOOT SWING

To set brake, press gently until it clicks.
To release brake, gently press foot down.

STEP 5

ADJUST 3-POINT HARNESS

Adjust harness and buckle straps to fit.

STEP 6

INSTALL BEAN WHEELS

Install bean wheels with you have a lock.

STEP 7

INSTALL TIMER & CUP HOLDERS

Insert the timer & cup holders into the slots each side. Locate center pin under frame of the right side and insert into the hole. Rotate the cup holder and tighten tabs of the cup holders to place.

STEP 8

ADJUST THE TELESCOPIC HANDLE

Unlock or adjust height and lock. Release due to adjust lock release.

STEP 9

INSTALL WIDE WHEELS

PUSH WIDGE Lock handle for ease.
Pull Wide Wheels Lock handle for upright or unlock and drop handle bar.

STEP 10

FOLDING & STORAGE

Release accessories, lift release button on the front handle and fold handle bars upright or unlock and drop handle bar.
Fold back side panels and seat & bags flat.

STEP 11

FOLDING & STORAGE

Release handle and lay down until it locks.

STEP 12

REMOVING WHEELS

Remove wheels and store in storage compartments.
The Cruiser can be lifted and rolling on front wheels by tilting, or by folding the handle when in the down position. Remove wheels and store in storage compartment.

Team Vevor, LLC
Vevor Group, Inc.
Vevor Group, Inc.
Vevor Group, Inc.

FR | DEVENIR ÉCO

MISE EN GARDE

Vous espérons que vous apprécierez votre Crusher. Veuillez lire ce manuel en entier avant de commencer à utiliser votre Crusher. Suivez les instructions avant de l'assembler et de l'utiliser pour vous aider à tirer pleine satisfaction de votre produit.

IMPORTANT - CONSERVER LES INSTRUCTIONS POUR UTILISATION ULTÉRIEURE

⚠ MISE EN GARDE

NE JAMAIS AJOUTER LES COMPOSANTS ÉLECTRIQUES DU CRUSHER À DES ÉQUIPEMENTS OU À DES INSTRUCTIONS NON PRÉVUES DANS DES BUCKETS GRAYS OU À DES FINS AUTRES QUE L'EXTRACTION SUIVANT TOUTES LES PRÉCAUTIONS.

- Utiliser un ferme-bac qui soient adéquat pour votre bac.
- Ne modifier le bac et/ou le ferme-bac de quelque manière que ce soit.
- Toujours utiliser le système de sécurité.
- Ne jamais ajouter de composants à votre Crusher.
- Ne pas ajouter d'autres ressources électriques à votre Crusher.
- Pour éviter toute blessure, ne pas placer votre tête ou votre corps à proximité du Crusher.
- Ne pas utiliser votre Crusher à proximité de personnes ou d'animaux domestiques.
- Ne pas utiliser votre Crusher à proximité de matériaux inflammables.
- Ne pas utiliser votre Crusher à proximité de matériaux explosifs.
- Ne pas utiliser votre Crusher à proximité de matériaux toxiques.
- Ne pas utiliser votre Crusher à proximité de matériaux corrosifs.
- Ne pas utiliser votre Crusher à proximité de matériaux dangereux.
- Le Crusher ne doit pas être utilisé à plus de 5 pieds de la mer ou à plus de 5 Kg/m²/h (charge de neige) au-dessus du niveau de la mer.
- Ne jamais ajouter de composants électriques à votre Crusher. Ceux-ci ne sont pas étanches, et ce malgré l'ajout du ferme-bac. Tout ajout de composants électriques, quelle que soit la manière dont ils sont ajoutés, rendra votre Crusher dangereux.
- Ne jamais ajouter de composants électriques à votre Crusher. Ceux-ci ne sont pas étanches, et ce malgré l'ajout du ferme-bac. Tout ajout de composants électriques, quelle que soit la manière dont ils sont ajoutés, rendra votre Crusher dangereux.
- Toujours garder les doigts à l'écart des pièces mobiles. Ne pas placer votre tête ou votre corps à proximité du Crusher. Ne pas placer votre tête ou votre corps à proximité du Crusher.
- Ne pas utiliser votre Crusher à transport dans une atmosphère explosive.
- La capacité de charge maximale de chaque Crusher est de 5 Kg/m².
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer. Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Le Crusher ne peut pas être utilisé au-dessus de 5 Kg/m² (charge de neige).
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Toujours garder les doigts à l'écart des pièces mobiles. Ne pas placer votre tête ou votre corps à proximité du Crusher. Ne pas placer votre tête ou votre corps à proximité du Crusher.
- Ne pas utiliser votre Crusher à transport dans une atmosphère explosive.
- La capacité de charge maximale de chaque Crusher est de 5 Kg/m².
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer. Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Le Crusher ne peut pas être utilisé au-dessus de 5 Kg/m² (charge de neige).
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.
- Ne pas utiliser votre Crusher à plus de 5 pieds au-dessus du niveau de la mer.

Aperçu du Crusher

Vous l'en a bien fabriqué avec des matériaux de la plus haute qualité. Le Crusher est conçu pour durer longtemps et pour vous rendre service pendant plusieurs years. Lisez ce guide pour vous familiariser avec votre Crusher.

Le Crusher est conçu pour transport dans une atmosphère explosive.

Le Crusher a deux d'entre eux complémentaires: le système de sécurité et le système de sécurité. Le système de sécurité est conçu pour empêcher toute blessure à l'un d'entre eux. Le système de sécurité est conçu pour empêcher toute blessure à l'un d'entre eux.

Le Crusher a trouvé d'être complémentaire: le système de sécurité et le système de sécurité. Le système de sécurité est conçu pour empêcher toute blessure à l'un d'entre eux. Le système de sécurité est conçu pour empêcher toute blessure à l'un d'entre eux.

Le Crusher est conçu pour transport dans une atmosphère explosive.

Le Crusher a trouvé d'être complémentaire